

**§ 211.28 Personnel responsibilities.**

(a) Personnel engaged in the manufacture, processing, packing, or holding of a drug product shall wear clean clothing appropriate for the duties they perform. Protective apparel, such as head, face, hand, and arm coverings, shall be worn as necessary to protect drug products from contamination.

(b) Personnel shall practice good sanitation and health habits.

(c) Only personnel authorized by supervisory personnel shall enter those areas of the buildings and facilities designated as limited-access areas.

(d) Any person shown at any time (either by medical examination or supervisory observation) to have an apparent illness or open lesions that may adversely affect the safety or quality of drug products shall be excluded from direct contact with components, drug product containers, closures, in-process materials, and drug products until the condition is corrected or determined by competent medical personnel not to jeopardize the safety or quality of drug products. All personnel shall be instructed to report to supervisory personnel any health conditions that may have an adverse effect on drug products.

**§ 211.34 Consultants.**

Consultants advising on the manufacture, processing, packing, or holding of drug products shall have sufficient education, training, and experience, or any combination thereof, to advise on the subject for which they are retained. Records shall be maintained stating the name, address, and qualifications of any consultants and the type of service they provide.

**Subpart C—Buildings and Facilities****§ 211.42 Design and construction features.**

(a) Any building or buildings used in the manufacture, processing, packing, or holding of a drug product shall be of suitable size, construction and location to facilitate cleaning, maintenance, and proper operations.

(b) Any such building shall have adequate space for the orderly placement of equipment and materials to prevent

mixups between different components, drug product containers, closures, labeling, in-process materials, or drug products, and to prevent contamination. The flow of components, drug product containers, closures, labeling, in-process materials, and drug products through the building or buildings shall be designed to prevent contamination.

(c) Operations shall be performed within specifically defined areas of adequate size. There shall be separate or defined areas or such other control systems for the firm's operations as are necessary to prevent contamination or mixups during the course of the following procedures:

(1) Receipt, identification, storage, and withholding from use of components, drug product containers, closures, and labeling, pending the appropriate sampling, testing, or examination by the quality control unit before release for manufacturing or packaging;

(2) Holding rejected components, drug product containers, closures, and labeling before disposition;

(3) Storage of released components, drug product containers, closures, and labeling;

(4) Storage of in-process materials;

(5) Manufacturing and processing operations;

(6) Packaging and labeling operations;

(7) Quarantine storage before release of drug products;

(8) Storage of drug products after release;

(9) Control and laboratory operations;

(10) Aseptic processing, which includes as appropriate:

(i) Floors, walls, and ceilings of smooth, hard surfaces that are easily cleanable;

(ii) Temperature and humidity controls;

(iii) An air supply filtered through high-efficiency particulate air filters under positive pressure, regardless of whether flow is laminar or nonlaminar;

(iv) A system for monitoring environmental conditions;

(v) A system for cleaning and disinfecting the room and equipment to produce aseptic conditions;

#### **§211.44**

(vi) A system for maintaining any equipment used to control the aseptic conditions.

(d) Operations relating to the manufacture, processing, and packing of penicillin shall be performed in facilities separate from those used for other drug products for human use.

[43 FR 45077, Sept. 29, 1978, as amended at 60 FR 4091, Jan. 20, 1995]

#### **§211.44 Lighting.**

Adequate lighting shall be provided in all areas.

#### **§211.46 Ventilation, air filtration, air heating and cooling.**

(a) Adequate ventilation shall be provided.

(b) Equipment for adequate control over air pressure, micro-organisms, dust, humidity, and temperature shall be provided when appropriate for the manufacture, processing, packing, or holding of a drug product.

(c) Air filtration systems, including prefilters and particulate matter air filters, shall be used when appropriate on air supplies to production areas. If air is recirculated to production areas, measures shall be taken to control recirculation of dust from production. In areas where air contamination occurs during production, there shall be adequate exhaust systems or other systems adequate to control contaminants.

(d) Air-handling systems for the manufacture, processing, and packing of penicillin shall be completely separate from those for other drug products for human use.

#### **§211.48 Plumbing.**

(a) Potable water shall be supplied under continuous positive pressure in a plumbing system free of defects that could contribute contamination to any drug product. Potable water shall meet the standards prescribed in the Environmental Protection Agency's Primary Drinking Water Regulations set forth in 40 CFR part 141. Water not meeting such standards shall not be permitted in the potable water system.

(b) Drains shall be of adequate size and, where connected directly to a sewer, shall be provided with an air

#### **21 CFR Ch. I (4-1-14 Edition)**

break or other mechanical device to prevent back-siphonage.

[43 FR 45077, Sept. 29, 1978, as amended at 48 FR 11426, Mar. 18, 1983]

#### **§211.50 Sewage and refuse.**

Sewage, trash, and other refuse in and from the building and immediate premises shall be disposed of in a safe and sanitary manner.

#### **§211.52 Washing and toilet facilities.**

Adequate washing facilities shall be provided, including hot and cold water, soap or detergent, air driers or single-service towels, and clean toilet facilities easily accessible to working areas.

#### **§211.56 Sanitation.**

(a) Any building used in the manufacture, processing, packing, or holding of a drug product shall be maintained in a clean and sanitary condition. Any such building shall be free of infestation by rodents, birds, insects, and other vermin (other than laboratory animals). Trash and organic waste matter shall be held and disposed of in a timely and sanitary manner.

(b) There shall be written procedures assigning responsibility for sanitation and describing in sufficient detail the cleaning schedules, methods, equipment, and materials to be used in cleaning the buildings and facilities; such written procedures shall be followed.

(c) There shall be written procedures for use of suitable rodenticides, insecticides, fungicides, fumigating agents, and cleaning and sanitizing agents. Such written procedures shall be designed to prevent the contamination of equipment, components, drug product containers, closures, packaging, labeling materials, or drug products and shall be followed. Rodenticides, insecticides, and fungicides shall not be used unless registered and used in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. 135).

(d) Sanitation procedures shall apply to work performed by contractors or temporary employees as well as work performed by full-time employees during the ordinary course of operations.